

It's not clear

its role in the treatment of

psoriasis.



DIMETHYL FUMARATE. FOR PSORIASIS

Old tuned remedy.



IMPORTANT THERAPEUTIC INNOVATION



MODEST **THERAPEUTIC** INNOVATION



SOME ADDED VALUE IN SPECI-**FIC SITUATIONS**



NO THERAPEUTIC INNOVATION



INSUFFICIENT EVIDENCE



WHAT IS IT?

Inmunomodulator and anti-inflammatory.

INDICATION

Treatment of moderate to severe plaque psoriasis in adults, who refracted or is not indicated the conventional systemic therapy.

POSOLOGY AND METHOD OF ADMINISTRATION

The dose should be individualized by efficacy (the maximum daily dose allowed is 720 mg). It must be taken with meals. Start the treatment following the next scheme.

EFFECTIVENESS

Compared with placebo: It's necessary to treat 5 patients in order to obtain a relevant clinical benefit (symptoms severity reduction in 75%) [CI 99 %,(3; 9)].

RISKS

More frequent adverse reactions: gastrointestinal, dermatologic, flushing and hematologic disorders (lymphopenia and eosinophilia). Risk of progressive multifocal leukoencephalopathy (PML): Monitoring complete blood count including lymphocyte counts (obtained prior to initiation of therapy). Consider treatment interruption in case of severe or lengthy lymphopenia. Monitoring renal and liver function tests (transaminases, alkaline phosphatase, total bilirubin) prior to treatment initiation and during treatment at intervals of 3 months. Contraindications: In severe kidney or liver injury; in pregnancy and lactation. Live vaccines should not be given.

PLACE IN THE THERAPEUTIC

Limited available evidence. Alternative when first-line therapy fails or intolerance.



PRESENTATIONS

Skilarence® 30 mg 42 tablets (121,3€); 120 mg 90 tablets (239,63€); 120 mg 180 tablets (436,71€).

ABBREVIATIONS

PASI (Psoriasis Area and Severity Index): it's a tool to determine psoriasis coverage and severity. PASI 75 represents the percentage of patients who have achieved a 75% or more reduction in their PASI score from baseline.



